

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:

Source:

Date Processed by STIC:

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) INCLUDING A CODY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221 Effective 12/13/03: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER VERSION 4.1 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- 3. Hand Carry directly to (EFFECTIVE 12/01/03):
 U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1803-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03



DATE: 02/24/2004

IFWO

```
PATENT APPLICATION: US/10/669,162
                                                           TIME: 14:54:25
                    Input Set : A:\210387 2.doc
                    Output Set: N:\CRF4\02242004\J669162.raw
      3 <110> APPLICANT: Breaker, Ronald R.
      4
             Nahvi, Ali
      5
             Sudarsan, Narasimhan
             Ebert, Margaret S.
      7
             Winkler, Wade
             Barrick, Jeffrey E.
             Wickiser, John K.
     12 <120> TITLE OF INVENTION: RIBOSWITCHES, METHODS FOR THEIR USE, AND
             COMPOSITIONS FOR USE WITH RIBOSWITCHES
     15 <130> FILE REFERENCE: 25006.0016U2
     17 <140> CURRENT APPLICATION NUMBER: 10/669,162
     18 <141> CURRENT FILING DATE: 2003-09-22
     20 <150> PRIOR APPLICATION NUMBER: 60/412,468
     21 <151> PRIOR FILING DATE: 2002-09-20
                                                            Does Not Comply
     23 <160> NUMBER OF SEQ ID NOS: 377
                                                            Corrected Diskette Needed
     25 <170> SOFTWARE: FastSEQ for Windows Version 4.0
                                    us are allowed in segunde.
ERRORED SEQUENCES
    ·1918 <210> SEQ ID NO: 112
     1919 <211> LENGTH: 486
     1920 <212> TYPE: (RNA )
     1921 <213> ORGANISM: Bacillus subtilis
     1923 <220> FEATURE:
     1924 <221> NAME/KEY: misc feature
     1925 <222> LOCATION: (21)...(307)
     1926 <223> OTHER INFORMATION: n = g, a, c or
     1928 <400> SEQUENCE: 112
E--> 1929 attaticcontic again nnaagcaga gggannatigg nnnncccgac gaagatinnc 60
E--> 1930 agcaaccgdt dtaatggcnn nnnnnnnnn nnnnnnnnn nnngatcann nnnnnnnnn 120
E--> 1931 nnnnnnnnn nnnnngccat) gacçaaggtig (tlaaatincca gnnnnnncaa gcthnnnnnn 180
E--> 1932 nnnncgaaca nnnnnnnnn ngcttggaag ataagaagag acaaaattcac (tgacaaannn 240
E--> 1933 nnnnnnnnn nnnnnnnnn nnnnnnnnn dittetinnnn nnnnnnnnn dtinnnnnn 300
E--> 1935 gacaattygga dttttagaag attttgcaaag acaggitetta attggtgacg gcgccattygg 420
E--> 1936 gacgettecte tactoctate gcattgacag dtottttgag gageteaata ettecaaagec 480
     1937 ggagga
     1939 <210> SEQ ID NO: 113
     1940 <211> LENGTH: 486
     1941 <212> TYPE: (RNA)
     1942 <213> ORGANISM: Bacillus subtilis
     1944 <220> FEATURE:
```

RAW SEQUENCE LISTING

DATE: 02/24/2004

TIME: 14:54:25

```
Input Set : A:\210387 2.doc
                                                      same ernon
                    Output Set: N:\CRF4\02242004\J669162.raw
     1945 <221> NAME/KEY: misc feature
     1946 <222> LOCATION: (21)...(305)
     1947 <223> OTHER INFORMATION: n = g, a, c or f)/u
     1949 <400> SEQUENCE: 113
 --> 1950 tcgatatttc ttatcgtgag nnnaggtgga gggannctgg nnnnccctta gaaacctnnc 60
E--> 1952 nnnnnnnnn nnnngcaaag cgccaaggtg ctaaatncca gnnnnnncaa gcgtnnnnnn 180
E--> 1953 nnnntttttn nnnnnnnna tgcttggaag ataagaagaa gcgttaaann nnnnnnnnn 240
E--> 1954 nnnnnnnnn nnnnnnnnn nnnnnnnnc cettettenn nnnnnnnnt tatnnnnnnn 300
E--> 1955 nnnnnqaaqa aggggttttt attttgaaaa gggaaggtgt cagctatatg tcacagcacg 360
E--> 1956 ttgaaacgaa attagctcaa attgggaacc gtagcgatga agtcacggga acagtgagtg 420
E--> 1957 ctcctatcta tttatcaaca gcataccgcc acagagggat cggagaatct accggatttg 480
E--> 1958 attatg
     1960 <210> SEQ ID NO: 114
     1961 <211> LENGTH: 486
     1962 <212> TYPE: (RNA)
     1963 <213> ORGANISM: Bacillus subtilis
     1965 <220> FEATURE:
     1966 <221> NAME/KEY: misc feature
    1967 <222> LOCATION: (21)...(304)
     1968 <223> OTHER INFORMATION: n = g, a, c or (1)/u
     1970 <400> SEQUENCE: 114
E--> 1971 acattttctc ttatcqaqaq nnttgggcga gggannttgg nnnncctttt gaccccaanc 60
E--> 1972 agcaaccgac cnnnnnngta ataccattgt gaaatggggc gcactgcttt tcgcgccgag 120
E--> 1973 actgatgtct cataannnnn nggcacggtg ctaattncca tnnnnnncag atnnnnnnnn 180
E--> 1974 nnnnntqtnn nnnnnnnnn nqtctqaqaq atgagagagg cagtgtttta cgtagaaaan 240
E--> 1975 nnnnnnnnn nnnnnnnnn nnnnnnnngc etetteten nnnnnnnnnt catnnnnnn 300
E--> 1976 nnnngggaaa gaggettttt gttgtgagaa aacetettag cageetgtat eegegggtga 360
E--> 1977 aagagagtgt tttacatata aaggaggaga aacaatgaca accatcaaaa catcgaattt 420
E--> 1978 aggatttccg agaatcgacc tgaaccggga atggaaaaaa gcacttgaag cgtattggaa 480
     1979 aggcag
                                                              The type of errors shown exist throughout
                                                            the Sequence Listing. Please check subsequent
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/669,162

sequences for similar errors.

PATENT APPLICATION: US/10/669,162

DATE: 02/24/2004 TIME: 14:54:26

Input Set : A:\210387_2.doc

Output Set: N:\CRF4\02242004\J669162.raw

```
L:72 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:120
M:341 Repeated in SeqNo=3
L:111 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
M:341 Repeated in SeqNo=5
L:147 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
M:341 Repeated in SeqNo=6
L:181 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:218 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
M:341 Repeated in SeqNo=8
L:252 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
M:341 Repeated in SeqNo=9
L:280 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
M:341 Repeated in SeqNo=10
L:308 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
M:341 Repeated in SeqNo=11
L:352 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
M:341 Repeated in SeqNo=12
L:387 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
M:341 Repeated in SeqNo=15
L:402 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
M:341 Repeated in SeqNo=16
L:417 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
M:341 Repeated in SeqNo=17
L:447 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
M:341 Repeated in SeqNo=18
L:461 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:475 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
L:489 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
M:341 Repeated in SeqNo=21
L:504 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
M:341 Repeated in SeqNo=22
L:520 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
M:341 Repeated in SeqNo=23
L:536 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
M:341 Repeated in SeqNo=24
L:551 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
M:341 Repeated in SeqNo=25
L:566 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
M:341 Repeated in SeqNo=26
L:581 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
M:341 Repeated in SeqNo=27
L:597 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
M:341 Repeated in SeqNo=28
L:612 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
M:341 Repeated in SeqNo=29
L:628 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
M:341 Repeated in SeqNo=30
L:644 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
```

DATE: 02/24/2004 TIME: 14:54:26

PATENT APPLICATION: US/10/669,162

Input Set : A:\210387_2.doc

Output Set: N:\CRF4\02242004\J669162.raw

```
M:341 Repeated in SeqNo=31
L:660 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
L:1718 M:258 W: Mandatory Feature missing, <220> Tag not found for SEQ ID#:98
L:1929 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:10
L:1930 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:4
L:1930 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:14
L:1931 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:5
L:1931 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:19
L:1932 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:5
L:1932 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:24
L:1933 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:7
L:1933 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:31
L:1934 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:22
L:1934 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:53
L:1935 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:14
L:1935 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:67
L:1936 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:18
L:1936 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:85
L:1950 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:14
L:1951 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:9
L:1951 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:23
L:1952 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:4
L:1952 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:27
L:1953 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:11
L:1953 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:38
L:1954 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:7
L:1954 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:45
L:1955 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:15
L:1955 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:60
L:1956 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:12
L:1956 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:72
L:1957 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:15
L:1957 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:87
L:1958 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:3
L:1958 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:90
L:1971 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:16
L:1972 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:11
L:1972 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:27
L:1973 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:11
L:1973 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:38
L:1974 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:11
L:1974 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:49
L:1975 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:7
L:1975 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:56
L:1976 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:15
L:1976 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:71
L:1977 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:13
L:1977 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:84
L:1978 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:11
```

PATENT APPLICATION: US/10/669,162

DATE: 02/24/2004 TIME: 14:54:26

Input Set : A:\210387_2.doc

Output Set: N:\CRF4\02242004\J669162.raw

```
L:1978 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:95
L:1992 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:17
L:1993 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:14
L:1993 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:31
L:1994 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:12
L:1994 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:43
L:1995 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:8
L:1995 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:51
L:1996 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:6
L:1996 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:57
L:1997 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:19
L:1997 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:76
L:1998 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:13
L:1998 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:89
 L:1999 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:12
 L:1999 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:101
L:2013 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:10
 L:2014 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:3
 L:2014 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:13
 L:2015 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:7
L:2015 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:20
 L:2016 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:4
 L:2016 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:24
 L:2017 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:6
 L:2017 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:30
 L:2018 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:17
 L:2018 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:47
 L:2019 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:9
 L:2019 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:56
 L:2020 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:12
 L:2020 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:68
 L:2021 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:1
 L:2021 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:69
 L:2034 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:9
 L:2035 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:4
 L:2035 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:13
 L:2036 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:7
 L:2036 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:20
 L:2037 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:14
 L:2037 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:34
 L:2038 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:6
 L:2038 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:40
 L:2039 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:19
 L:2039 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:59
 L:2040 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:14
 L:2040 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:73
 L:2041 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:13
 L:2041 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:86
 L:2056 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:3
```

DATE: 02/24/2004

PATENT APPLICATION: US/10/669,162

TIME: 14:54:26

Input Set : A:\210387_2.doc
Output Set: N:\CRF4\02242004\J669162.raw

							Designator,				
L:2058	M:320	E:	(1)	Wrong	Nucleic	Acid	Designator,	NUMBER	OF	INVALID	KEYS:10
							Designator,				
L:2060	M:320	E:	(1)	Wrong	Nucleic	Acid	Designator,	NUMBER	OF	INVALID	KEYS:17
L:2061	M:320	E:	(1)	Wrong	Nucleic	Acid	Designator,	NUMBER	OF	INVALID	KEYS:14